FIG. 1





FIG. 2






FIG. 4




FIG. 5

$$H = \left| O + R \right|^2 \tag{2.1}$$

$$H = |O|^2 + O^*R + OR^* + |R|^2$$
 (2.2)

$$E(x, y; z) = \frac{-ik}{2\pi} \iint_{\Sigma} dx_0 dy_0 E_0(x_0, y_0) \frac{e^{ikr}}{r}$$
 (2.3)

$$\phi = \mathbf{m} \cdot \mathbf{x} \tag{2.4}$$

$$m = \frac{2\pi(\lambda_1 - \lambda_2)}{\lambda_1 \lambda_2}$$
 (2.5)

$$\lambda_2 \ge \frac{\Delta \varphi}{m} = \frac{\Delta \varphi \lambda_1 \lambda_2}{2\pi (\lambda_1 - \lambda_2)} \tag{2.6}$$

$$\Delta \phi_{\rm b} = \frac{2\pi(\lambda_1 - \lambda_2)}{\lambda_2} \tag{2.7}$$


$$\Delta \varphi_s = \frac{\Delta \varphi_b}{2} = \frac{\pi(\lambda_1 - \lambda_2)}{\lambda_2} \tag{2.8}$$


$$x_r = \frac{\lambda_1 \lambda_2}{\lambda_1 - \lambda_2} \tag{2.9}$$

$$x_{r} = \frac{\pi \lambda_{1}}{\Delta \phi_{s}} \tag{2.10}$$

$$\Delta x = \frac{\Delta \varphi_i \lambda_2}{2\pi} \tag{2.11}$$

$$\lambda_1 = \frac{x_r \lambda_2}{x_r - \lambda_2} \tag{2.12}$$












FIG. 9















FIG. 11





Phase Plot For 532 nm





Phase Plot For 632 nm














Phase Subtraction with Adjustment




Just Phase Subtraction





Phase Subtraction with Adjustment




BEST AVAILABLE COPY












FIG. 21

 $R - R\cos\theta = H \tag{7.1}$

 $\cos\theta = 1 - \frac{\theta^2}{2} \tag{7.2}$

 $\theta = \sin \theta = \frac{y}{R} \tag{7.3}$

 $R - R(1 - \frac{y^2}{2R^2}) = H$ (7.4)

 $R = \frac{y^2}{2H} \tag{7.5}$




FIG. 23

FIG. 24

